

This listing of claims will replace the prior version in the application.

### Claims

1. (Currently amended) Composition comprising a fluorinated base, diacetone alcohol (~~DAA~~), and ~~DMSO~~ dimethyl sulfoxide and/or secondary butanol.
2. (Currently amended) Composition according to Claim 1, comprising from 1 to 88% by weight of fluorinated base, from 5 to 94% by weight of diacetone alcohol ~~DAA~~, and from 5 to 70% by weight of ~~DMSO~~ dimethyl sulfoxide and/or of secondary butanol.
3. (Currently amended) Composition according to Claim 1 ~~or 2~~, preferably comprising from 5 to 80% of fluorinated base, from 15 to 85% of diacetone alcohol ~~DAA~~ and from 5 to 50% of ~~DMSO~~ dimethyl sulfoxide and/or of secondary butanol.
4. (Currently amended) Composition according to ~~one of Claims~~ Claim 1 to 3, characterized ~~in that the~~ wherein said fluorinated base comprises one or more halogenated compounds having a surface tension of less than 30 mN/m and a zero ozone degradation potential (~~ODP~~).
5. (Currently amended) Composition according to Claim 4, characterized ~~in that the~~ wherein said one or more halogenated compound(s) is (are) chosen ~~compounds are selected~~ from the group hydrofluorocarbons (HFCs) and/or hydrofluoro ethers (HFEs).
6. (Currently amended) Composition according to ~~one of Claims~~ Claim 1 to 5, characterized ~~in that the~~ wherein said fluorinated base ~~also contains~~ further comprises trans-1,2-dichloroethylene.
7. (Currently amended) Composition according to Claim 5, characterized ~~in that the~~ HFC(s) is (are) chosen from wherein said hydrofluorocarbons are selected from the group 1,1,1,3,3-pentafluorobutane (HFC 365 mfc), 1,1,1,2,3,4,4,5,5,5-decafluoropentane (HFC 4310 mcc), 1,1,1,2-tetrafluoroethane (HFC 134 a), pentafluoroethane (HFC 125), 1,1,1-

trifluoroethane (HFC 143 a), difluoromethane (HFC 32), 1,1-difluoroethane (HFC 152 a), 1-fluoroethane (HFC 161), 1,1,1,2,3,3,3-heptafluoropropane (HFC 227 ea), 1,1,1,3,3,pentafluoropropane (HFC 245 fa), octafluoropropane (HFC 218), (perfluorobutyl)ethylene ( $C_4H_5CH=CH_2$ ), 1,1,2,2,3,4,5-heptafluorocyclopentane ( $C_5H_3F_7$ ), perfluorohexylethylene ( $C_6F_{13}CHCH_2$ ), tridecafluorohexane ( $C_6F_{13}H$ ) and perfluoro(methylmorpholine) (PF 5052).

8. (Currently amended) Composition according to ~~one of Claims 5 to 7, characterized in that the~~ Claim 4 wherein said fluorinated base comprises a mixture of 1,1,1,3,3-pentafluorobutane HFC 365 mfe and 1,1,1,2,3,4,4,5,5,5-decafluoropentane HFC 4310 mfe and, optionally, 1,1,1,2,3,3,3-heptafluoropropane HFC 227 ea.

9. (Currently amended) Composition according to ~~Claim 5 4, characterized in that the~~ HFE(s) is (are) chosen wherein said one or more halogenated compounds are selected from the group methylheptafluoropropyl ether ( $C_3F_7OCH_3$ ), methylnonafluorobutyl ether ( $C_4F_9OCH_3$ ), ethylnonafluorobutyl ether ( $C_4F_9OC_2H_5$ ) and perfluoropyran ( $C_5F_{10}O$ ).

10. (Currently amended) Use of the ~~compositions~~ composition according to ~~one of Claims Claim 1 to 9,~~ for the treatment of solid surfaces, ~~such as the cleaning, degreasing or drying of solid surfaces, or the defluxing of printed circuits.~~

11. (Currently amended) Use of the ~~compositions~~ composition according to ~~one of Claims Claim 1 to 9,~~ for the dry cleaning of textiles:

12. (Currently amended) Use of the ~~compositions~~ composition according to ~~one of Claims Claim 1 to 9,~~ for the cleaning of refrigeration plants.

13. (Currently amended) Use of the ~~compositions~~ composition according to ~~one of Claims Claim 1 to 9,~~ as agents for expanding polyurethane foams.

14. (Currently amended) Use of the ~~compositions~~ composition according to ~~one of Claims Claim 1 to 9,~~ as aerosol propellants.

15. (Currently amended) Use of the ~~compositions~~ composition according to ~~one of Claims Claim 1 to 9~~ as heat-transfer fluids.
16. (Currently amended) Use of the ~~compositions~~ composition according to ~~one of Claims Claim 1 to 9~~ as silicone-depositing agents.
17. (Currently amended) Method for treating solid surfaces, performed in a machine comprising a cleaning tank (2) and a rinsing tank (8), characterized in that the cleaning tank (2) is filled with a ~~composition according to one of Claims 1 to 9~~ composition comprising a first fluorinated base, diacetone alcohol (DAA), and DMSO dimethyl sulfoxide and/or secondary butanol and the rinsing tank (8) is filled with a pure second fluorinated base; ~~this said second fluorinated base possibly being the same as or different from that present said first fluorinated base in the cleaning tank (2).~~

Respectfully submitted,



Steven D. Boyd  
Attorney for the Applicants  
Reg. No. 31,000  
Tel (215) 419-5270  
Fax (215) 419-7075  
Customer No. 31684

Date: March 10, 2006